

Arch Rival Nails

SAFETY DATA SHEET

OPTIMA PRIMER

Revision Date: 29-07-2025

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Arch Rival Optima Primer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Professional nail enhancement hardener for use with nail base coat
Uses advised against: All other uses

1.3 Details of the supplier of the Safety Data Sheet

Initial Supplier:
Arch Rival Nails
3595 12th Ave, Port Alberni, BC Canada V9Y 4W9
E-mail: info@archrivalnails.com
Phone: 1-604-821-6829 (English- Business hours: 9 AM - 5 PM PST)

Emergency Contact:

Primary: 1-604-821-6829 (Business hours only)
Secondary: Poison Control Centre Canada: 1-844-POISON-X (1-844-764-7669) - 24/7
After hours: Contact local poison control center

Bilingual Availability Statement: This SDS is available in both English and French. Une FDS en français est disponible sur demande.

1.4 Emergency telephone number

See Section 1.3 above

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP], WHMIS 2015, and OSHA HCS 2012:

- Flammable Liquid, Category 2 (H224)
- Eye Irritation, Category 2 (H320)
- Skin Sensitization, Category 1 (H317)
- Specific Target Organ Toxicity - Single Exposure, Category 3 (H336)

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]:



Signal word: DANGER

Hazard statements:

- H224: Extremely flammable liquid and vapour
- H317: May cause an allergic skin reaction
- H320: Causes eye irritation
- H336: May cause drowsiness or dizziness

Precautionary statements:

Prevention:

- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233: Keep container tightly closed
- P240: Ground and bond container and receiving equipment
- P241: Use explosion-proof electrical/ventilating/lighting equipment
- P242: Use non-sparking tools
- P243: Take action to prevent static discharges
- P261: Avoid breathing vapours/spray
- P264: Wash hands and contaminated skin thoroughly after handling
- P271: Use only outdoors or in a well-ventilated area
- P272: Contaminated work clothing should not be allowed out of the workplace
- P280: Wear protective gloves/protective clothing/eye protection/face protection

Response:

- P302+P352: IF ON SKIN: Wash with plenty of soap and water
- P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P312: Call a POISON CENTER/doctor if you feel unwell
- P321: Specific treatment (see Section 4 on this label)
- P333+P313: If skin irritation or rash occurs: Get medical advice/attention
- P337+P313: If eye irritation persists: Get medical advice/attention
- P363: Wash contaminated clothing before reuse
- P370+P378: In case of fire: Use dry chemical, CO₂, alcohol-resistant foam for extinction

Storage:

- P403+P233: Store in a well-ventilated place. Keep container tightly closed
- P403+P235: Store in a well-ventilated place. Keep cool
- P405: Store locked up

Disposal:

- P501: Dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Other hazards

EUH066: Repeated exposure may cause skin dryness or cracking

EUH208: Contains isopropylidenediphenyl bisoxyhydroxypropyl methacrylate and isobutyl methacrylate. May produce an allergic reaction.

PBT/vPvB Assessment: This product does not contain components which are considered to be persistent,

bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Endocrine Disrupting Properties: Based on available data, this product is not classified as having endocrine disrupting properties.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture meeting the criteria for classification in accordance with Regulation (EC) No. 1272/2008, WHMIS 2015, and OSHA HCS 2012.

Component Name	CAS No.	Classification (CLP/GHS)	Conc. (% w/w)	Notes
Acetone	67-64-1	Flam. Liq. 2 (H225); Eye Irrit. 2 (H319); STOT SE 3 (H336)	60-100	[1]
Isopropylidenediphenyl bisoxyhydroxypropyl methacrylate (Bis-GMA)	1565-94-2	Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Eye Irrit. 2 (H319)	5-40	[1] [2]
BIS-HEA Poly(1,4-butanediol)-9/IPDI Copolymer	73297-27-5	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319)	5-20	[1]
Isobutyl Methacrylate	97-86-9	Flam. Liq. 3 (H226); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); STOT SE 3 (H335)	0-3	[1] [2]
Methacrylic Acid	79-41-4	Acute Tox. 4 (H302); Acute Tox. 3 (H311); Skin Corr. 1A (H314); STOT SE 3 (H335)	0-3	[1] [3]
1-Hydroxycyclohexyl Phenylketone	947-19-3	Not classified	≈1.0	[4]
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	Not classified	≈1.0	[4]

The exact percentages (concentrations) of composition have been withheld as trade secrets in accordance with applicable regulations: 29 CFR 1910.1200(i) (USA), WHMIS 2015 Section 5.11 (Canada), and CLP Regulation (EC) 1272/2008 Article 11 (EU).

Notes:

- [1] Substance with occupational exposure limit(s)
- [2] Skin sensitizer ≈0.1%
- [3] Component with corrosive properties (below mixture classification threshold)
- [4] Photoinitiator below classification threshold

Additional Information for Skin Sensitizers ≈0.1%: This mixture contains skin sensitizing substances at concentrations ≈0.1% that contribute to the overall skin sensitization classification.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Following inhalation:

Remove person to fresh air at once and keep comfortable for breathing. If breathing stops, perform artificial respiration. Call a POISON CENTER or doctor if you feel unwell.

Following skin contact:

Take off immediately all contaminated clothing. Rinse skin thoroughly with water followed by thorough washing with soap and water. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse.

Following eye contact:

Rinse cautiously with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Following ingestion:

Rinse mouth with water. Do NOT induce vomiting. If product has been swallowed, drink plenty of water or milk immediately. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Protection of first aider:

Use appropriate personal protective equipment to avoid exposure during rescue. Ensure adequate ventilation when providing first aid.

4.2 Most important symptoms and effects

Immediate symptoms:

- Skin: Irritation, redness, possible allergic reaction in sensitized individuals
- Eyes: Irritation, redness, tearing, discomfort
- Respiratory: Irritation of nose, throat and respiratory system
- CNS effects: Drowsiness, dizziness, headache, nausea

Delayed effects:

- Skin sensitization may develop with repeated exposure (allergic contact dermatitis)
- Repeated exposure may cause skin dryness or cracking

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For eye contact: Continue irrigation if irritation persists. For skin sensitization: Medical evaluation for allergic contact dermatitis may be required. Monitor for signs of allergic sensitization. Contact national poison center for additional treatment advice: Canada 1-844-POISON-X.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, dry chemical powder, carbon dioxide (CO₂), water spray/mist

Unsuitable extinguishing media: High pressure water jet (may spread fire)

5.2 Special hazards arising from the substance or mixture

Combustion products: Thermal decomposition may produce toxic gases including carbon monoxide, carbon dioxide, nitrogen oxides, and organic fragments.

Specific hazards: Extremely flammable liquid and vapor. Vapor may form explosive mixture with air. Containers may rupture when heated. May polymerize when exposed to heat.

5.3 Advice for firefighters

Protective equipment: Firefighters should wear self-contained breathing apparatus (SCBA) with full face mask and full protective clothing. Use water spray to cool containers exposed to fire.

Special firefighting procedures: Evacuate area. Fight fire from protected location. Cool containers with water spray. Prevent run-off from entering drains or waterways.

5.4 Other information

Flash point: -20Å°C (-4Å°F) (closed cup)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Evacuate area. Eliminate all ignition sources. No smoking. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protective equipment.

For emergency responders: Use appropriate personal protective equipment including respiratory protection. Approach spill from upwind direction.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements, or confined areas. Notify authorities if product enters waterways or sewers.

6.3 Methods and material for containment and cleaning up

Small spills (≤1 gallon): Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes to cure reactive components. Lift cured material from substrate and repeat until very little residue remains. Absorb remaining material with inert absorbent (sand, vermiculite). Place in appropriate container for disposal.

Large spills (>1 gallon): Deny entry to all unprotected individuals. Dike and contain spill with inert material. Use foam to suppress vapors if necessary. Expose to UV light to cure reactive components. Collect material for disposal. Wash area with soap and water.

6.4 Reference to other sections

See Section 8 for exposure controls and personal protection. See Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General handling: Use only in well-ventilated areas. Avoid prolonged contact with this material. Avoid breathing vapors. Use appropriate personal protective equipment. Wash exposed skin thoroughly with soap and water after use. Do not eat, drink or smoke while handling this product.

Fire/explosion prevention: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. Use explosion-proof electrical equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Ground and bond containers when transferring material.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in original container in cool, dry, well-ventilated area away from heat and ignition sources. Keep containers tightly closed. Store below 50°C (122°F). Store away from incompatible materials. As a precaution, do not store higher than waist level. Keep away from children.

Incompatible materials: Strong oxidizers, peroxides, strong acids, strong bases

Storage requirements: Store in areas with appropriate fire protection. Electrical equipment should be explosion-proof.

7.3 Specific end use(s)

See Section 1.2. Professional nail enhancement primer for use in nail salons.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Substance	Country	Type	Value	Notes
Acetone	USA (OSHA)	PEL	1000 ppm (2400 mg/m ³)	8-hour TWA
	USA (NIOSH)	REL	250 ppm (590 mg/m ³)	10-hour TWA
	Canada	OEL	500 ppm TWA; 750 ppm STEL	Provincial variations may apply
Methacrylic Acid	USA (OSHA)	PEL	20 ppm (70 mg/m ³)	8-hour TWA, skin
	Canada	OEL	20 ppm (70 mg/m ³)	8-hour TWA
Other components	-	-	None established	Use general ventilation guidelines

Derived No-Effect Level (DNEL): Not established for this mixture

Predicted No-Effect Concentration (PNEC): Not established for this mixture

8.2 Exposure controls

Engineering controls:

Use adequate general and local exhaust ventilation to maintain airborne concentrations below exposure limits. Use explosion-proof electrical equipment. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye wash station).

Personal protective equipment:

- **Respiratory protection:** Not normally required under typical circumstances of use. If exposure limits may be exceeded, use NIOSH/MSHA approved organic vapor respirator
- **Hand protection:** Wear nitrile or impervious gloves when handling large quantities. May cause skin irritation in sensitive individuals
- **Eye/face protection:** Wear safety glasses with side shields at all times when handling this product

- **Skin protection:** No apron required when handling small quantities. For large quantities, wear appropriate protective clothing

Environmental exposure controls:

Prevent release to environment. Use appropriate containment to avoid environmental contamination.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Appearance	Clear liquid
Color	Colorless
Odor	Acetone-like odor
Odor threshold	Not established
pH	Not applicable (non-aqueous)
Melting point/freezing point	Not determined
Initial boiling point/range	57Å°C (134Å°F)
Flash point	-20Å°C (-4Å°F) (closed cup)
Evaporation rate	Not available
Flammability	Extremely flammable liquid and vapor
Upper/lower flammability limits	Not available
Vapor pressure	30.6 kPa at 25Å°C
Vapor density	>1 (Air = 1)
Relative density	0.9 g/cmÅ³
Solubility(ies)	Not soluble in water
Partition coefficient (n-octanol/water)	Not available

Auto-ignition temperature	Not available
Decomposition temperature	Not determined
Viscosity	Approximately 300 cps
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

Additional Physical Properties (GHS 7&8):

Particle characteristics: Not applicable (liquid)

Mechanical sensitivity: Not mechanically sensitive

Conductivity:

VOC Content: >60% by weight (calculated per EPA Method 24)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Relatively stable under ambient conditions when stored properly. Methacrylate components may polymerize under certain conditions.

10.2 Chemical stability

Stable under recommended storage conditions. Contains inhibitors to prevent polymerization.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur under normal conditions. May polymerize if exposed to extreme temperatures, strong light sources, or incompatible chemicals.

10.4 Conditions to avoid

Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks and flame.

10.5 Incompatible materials

Strong oxidizers, peroxides, strong acids or alkalis

10.6 Hazardous decomposition products

If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon and nitrogen)

SECTION 11: TOXICOLOGICAL INFORMATION

Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1 Information on toxicological effects

Acute Toxicity:

- Oral: Not classified based on available data. ATEmix (oral) >2000 mg/kg
- Dermal: Not classified based on available data
- Inhalation: Not classified based on available data

Component toxicity data:

- Acetone: LD50 (oral, rat) = 5800 mg/kg
- Methacrylic acid: LD50 (oral, rat) = 1060 mg/kg; LD50 (dermal, rabbit) = 500-1000 mg/kg
- This product has NOT been tested on animals to obtain toxicology data

Skin corrosion/irritation:

Not classified. May be irritating to the skin, especially after prolonged contact.

Serious eye damage/irritation:

Category 2 - Causes eye irritation. The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation.

Respiratory or skin sensitization:

Skin Sensitization Category 1 - May cause allergic skin reaction. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.

Germ cell mutagenicity:

Not classified. This product is not reported to produce mutagenic effects in humans.

Carcinogenicity:

Not classified. The ingredients of this product are not listed as carcinogens by NTP, IARC, or ACGIH.

Reproductive toxicity:

Not classified. This product is not reported to cause reproductive toxicity in humans.

STOT-single exposure:

Category 3 - May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure:

Not classified based on available data.

Aspiration hazard:

Not classified.

Likely route(s) of exposure:

Inhalation, skin contact, and eye contact are the most likely routes during professional use. Absorption through skin is possible.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic Toxicity:

- Acetone: LC50 (fish, 96h) = 5540 mg/L; EC50 (daphnia, 48h) = 8800 mg/L
- There is no specific data available for this product on aquatic life

12.2 Persistence and degradability

This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. Acetone is readily biodegradable.

12.3 Bioaccumulative potential

Bioconcentration is not anticipated to be significant.

12.4 Mobility in soil

Expected to have moderate to high mobility in soil.

12.5 Results of PBT and vPvB assessment

This product does not contain components considered to be PBT or vPvB at levels $\leq 0.1\%$.

12.6 Endocrine disrupting properties

Based on available data, no components are classified as endocrine disruptors.

12.7 Other adverse effects

There is no specific data available for this product on plant life.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product disposal:

Dispose in accordance with local, state and Federal waste laws. This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to regulations.

Special considerations:

Material may polymerize - handle with care. Consider UV curing before disposal to convert to inert plastic.

Canada-specific requirements:

Classified as hazardous waste under provincial environmental regulations.

EU-specific requirements:

Waste codes may include: 08 01 11* (waste paint and varnish containing organic solvents) or 07 01 04* (other organic solvents, washing liquids and mother liquors)

US-specific requirements:

RCRA waste code: D001 (ignitable). Consult 40 CFR 261 for determination.

Container disposal:

Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

SECTION 14: TRANSPORT INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.

Regulation	UN Number	Proper Shipping Name	Class	Packing Group	Special Provisions
ADR/RID	UN1263	PAINT	3	II	LTD QTY (IP \leq 1.0 L)

IMDG	UN1263	PAINT	3	II	LTD QTY (IPâ%â1.0 L)
IATA	UN1263	Paint	3	II	See below for quantity limits

Additional transport information:

- Limited Quantity provisions apply for packages â%â1.0 L
- IATA Excepted Quantity: UN1263, Paint, 3, II (IPâ%â30 ML) CODE E2
- Passenger Air Limited Quantity: ID8000, Consumer Commodity, 9 (IPâ%â0.5 L)
- For quantities >1.0 L: UN1993, Flammable Liquid, N.O.S. (Acetone solution), 3, II

14.5 Environmental hazards: No

14.6 Special precautions for user

Flammable liquid. Handle according to good industrial hygiene practices.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable - Product not shipped in bulk.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

CANADIAN REGULATIONS:

WHMIS 2015 Classification:

- Flammable Liquids, Category 2
- Eye Irritation, Category 2
- Skin Sensitization, Category 1
- STOT SE, Category 3

Canadian Environmental Protection Act (CEPA): All components are listed on the Domestic Substances List (DSL). None of the components are on the Priorities Substances List.

UNITED STATES REGULATIONS:

OSHA Hazard Communication Standard (29 CFR 1910.1200): Classified as above

TSCA Status: All components of this product are listed in the TSCA Inventory or are exempt

CERCLA Reportable Quantity: Acetone - 5000 lbs (2270 kg)

SARA 313: Not applicable

FDA Compliance: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

State Regulations: Acetone is not listed on any state criteria list(s). No other ingredients present at â%â1.0% are listed on state hazardous substances lists.

EUROPEAN UNION REGULATIONS:

CLP Regulation (EC) No 1272/2008: Classified as above

REACH Regulation (EC) No 1907/2006: All components registered or covered by registrations. No authorization required under Annex XIV. No restrictions under Annex XVII apply.

The primary components of this product are not listed in Annex 1 of EU Directive 67/548/EEC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

15.3 Other regulatory information

International regulations:

- Australia: Components listed on AICC. Classified per NOHSC:2011 (2003) and GHS requirements
- Japan: Components listed on ENCS
- South Korea: Components listed on K-REACH Existing Chemicals List

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

This revision corrects the hazard classification based on actual test data:

- Changed from H225 to H224 (Extremely flammable)
- Removed H314 (Skin corrosion) - not justified at these concentrations
- Changed from H318 to H320 (Eye irritation instead of damage)
- Added missing ingredient: Trimethylbenzoyl Diphenylphosphine Oxide
- Updated transport classification to UN1263 (Paint)

16.2 Abbreviations and acronyms

- ACGIH: American Conference of Governmental Industrial Hygienists
- ADR: European Agreement concerning International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate
- CLP: Classification, Labelling and Packaging
- DNEL: Derived No-Effect Level
- EC: European Community
- ECHA: European Chemicals Agency
- GHS: Globally Harmonized System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- NIOSH: National Institute for Occupational Safety and Health
- NTP: National Toxicology Program
- OEL: Occupational Exposure Limit
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, Bioaccumulative and Toxic
- PEL: Permissible Exposure Limit
- PNEC: Predicted No-Effect Concentration
- REL: Recommended Exposure Limit
- STOT: Specific Target Organ Toxicity
- TSCA: Toxic Substances Control Act
- TWA: Time Weighted Average
- VOC: Volatile Organic Compound

- vPvB: very Persistent and very Bioaccumulative
- WHMIS: Workplace Hazardous Materials Information System

16.3 Key literature references and sources for data

- ECHA C&L Inventory Database
- ECHA Registration Dossiers
- NIOSH Pocket Guide to Chemical Hazards
- ACGIH Threshold Limit Values
- Manufacturer technical data sheets
- Scientific literature on component toxicology

16.4 Classification and procedure used to derive the classification for mixtures

Classification derived using calculation methods according to CLP Regulation Annex I, with consideration of actual test data where available.

16.5 Full text of hazard statements referred to under Sections 2 and 3:

- H224: Extremely flammable liquid and vapour
- H225: Highly flammable liquid and vapour
- H226: Flammable liquid and vapour
- H302: Harmful if swallowed
- H311: Toxic in contact with skin
- H314: Causes severe skin burns and eye damage
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H319: Causes serious eye irritation
- H320: Causes eye irritation
- H335: May cause respiratory irritation
- H336: May cause drowsiness or dizziness

16.6 Training advice

Ensure all personnel handling this product receive appropriate training on hazard recognition, safe handling practices, emergency procedures, and proper use of personal protective equipment.

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear protective gloves and eye/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and open flame. KEEP OUT OF THE REACH OF CHILDREN.

90-Day Update Commitment: This SDS will be reviewed and updated within 90 days of any significant new hazard, toxicological, or regulatory information becoming available, as required by WHMIS 2015.

Date of preparation: 29-July-2025

Date of last revision: 29-July-2025

Version: 3.0 (2025 GHS 7&8 Compliant - Corrected)

Prepared by: Technical Regulatory Department

Reviewed by: Product Safety Department

Legal Compliance Verification: This SDS meets Canadian WHMIS 2015, EU CLP Regulation (EC) 1272/2008, and US OSHA HCS 2012 requirements. All CAS numbers have been verified through official databases. Classifications are based on actual test data and established scientific literature.

Disclaimer: This Safety Data Sheet (SDS) is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR Â§1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of our knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If

ArchRival Nails

OPTIMA PRIMER

this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

END OF SAFETY DATA SHEET

This SDS complies with Canadian WHMIS 2015, EU CLP Regulation (EC) 1272/2008, and US OSHA HCS 2012 requirements as updated for 2025 compliance mandates.